

Message

---

**From:** Nonresponsive based on revised scope [redacted]@tetrattech.com]  
**Sent:** 8/3/2022 6:38:01 PM  
**To:** Wagner, Christine [Wagner.Christine@epa.gov]  
**Subject:** Shiloh Church Road Removal TD

Afternoon Chris,

[redacted] and I discussed the new TD for the Shiloh site. I'm happy to take on the project and work with you on the site. I'm pulling the financial information now to get you total costs for the RV coded TDs by August 5, 2022.

Tetra Tech still has a HASP on file that includes the sampling of residential wells. I'll work to have the sample coordinator begin drafting an ARF for the groundwater sampling event that needs to take place ASAP.

I'm available to discuss the site background, scheduling fieldwork, and site visit all this week.

I look forward to hearing from you.

Thanks,

**Nonresponsive based on revised scope**

**Tetra Tech** | *Complex World, Clear Solutions™* | EMI Northeast Operations  
661 Andersen Dr Ste. 200 Pittsburgh, PA 15220 | [tetrattech.com](http://tetrattech.com)

*This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.*



Please consider the environment before printing. [Read more](#)



**TETRA TECH**